

## Selling Battery Chargers

All chargers are supplied with AC input cable and DC output leads

Battery plugs can be fitted at extra cost

[...continue](#)

Question:

[Single phase supply](#)

[3-phase supply](#)

Single phase supply

Question:

What is the battery voltage (Remember cells = 2 volts, don't confuse these)

- a 24 cell battery is 24 volts

[12 volts](#)

[24 volts](#)

[36 volts](#)

[48 volts](#)

[72 volts](#)

[80 volts](#)

**Single phase supply**

Battery voltage **12 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

- |                         |   |
|-------------------------|---|
| <a href="#">10 amps</a> | <a href="#">(suitable for battery capacity 60 - 95 ampHr)</a>   |
| <a href="#">15 amps</a> | <a href="#">(suitable for battery capacity 96 - 110 ampHr)</a>  |
| <a href="#">20 amps</a> | <a href="#">(suitable for battery capacity 111 - 132 ampHr)</a> |
| <a href="#">25 amps</a> | <a href="#">(suitable for battery capacity 133 - 165 ampHr)</a> |
| <a href="#">30 amps</a> | <a href="#">(suitable for battery capacity 166 - 198 ampHr)</a> |
| <a href="#">40 amps</a> | <a href="#">(suitable for battery capacity 199 - 263 ampHr)</a> |
| <a href="#">50 amps</a> | <a href="#">(suitable for battery capacity 264 - 329 ampHr)</a> |
| <a href="#">60 amps</a> | <a href="#">(suitable for battery capacity 330 - 395 ampHr)</a> |
| <a href="#">80 amps</a> | <a href="#">(suitable for battery capacity 396 - 526 ampHr)</a> |



Single phase supply

12 volts 10 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

10 kgs

AC current draw:

0.7 amps

Suitable for 12 volt battery with a capacity in the range 60 - 95 ampHr

Part ref 101PM1946

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 15 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

12 kgs

AC current draw:

1.0 amps

Suitable for 12 volt battery with a capacity in the range 96 - 110 ampHr

Part ref 101PM1947

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 20 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

11 kgs

AC current draw:

1.4 amps

Suitable for 12 volt battery with a capacity in the range 111 - 132 ampHr

Part ref 101PM1948

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 25 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

13 kgs

AC current draw:

1.7 amps

Suitable for 12 volt battery with a capacity in the range 133 - 165 ampHr

Part ref 101PM1949

Please contact us for price and availability



[RETURN TO START](#)



Single phase supply

12 volts 30 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

14 kgs

AC current draw:

2.1 amps

Suitable for 12 volt battery with a capacity in the range 168 - 198 ampHr

Part ref 101PM1950

Please contact us for price and availability

[RETURN TO START](#)



Single phase supply

12 volts 40 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

17 kgs

AC current draw:

2.7 amps

Suitable for 12 volt battery with a capacity in the range 199 - 263 ampHr

Part ref 101PM1951

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 50 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

25 kgs

AC current draw:

3.3 amps

Suitable for 12 volt battery with a capacity in the range 264 - 329 ampHr

Part ref 101PM1952

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 60 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

27 kgs

AC current draw:

4.2 amps

Suitable for 12 volt battery with a capacity in the range 330 - 395 ampHr

Part ref 101PM1953

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

12 volts 80 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

32 kgs

AC current draw:

5.4 amps

Suitable for 12 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM1954

Please contact us for price and availability



[RETURN TO START](#)

**Single phase supply**

Battery voltage **24 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

<a href="#"><u>10 amps</u></a>	<a href="#"><u>(suitable for battery capacity 60 - 95 ampHr)</u></a>
<a href="#"><u>15 amps</u></a>	<a href="#"><u>(suitable for battery capacity 96 - 110 ampHr)</u></a>
<a href="#"><u>20 amps</u></a>	<a href="#"><u>(suitable for battery capacity 111 - 132 ampHr)</u></a>
<a href="#"><u>25 amps</u></a>	<a href="#"><u>(suitable for battery capacity 133 - 165 ampHr)</u></a>
<a href="#"><u>30 amps</u></a>	<a href="#"><u>(suitable for battery capacity 166 - 198 ampHr)</u></a>
<a href="#"><u>40 amps</u></a>	<a href="#"><u>(suitable for battery capacity 199 - 263 ampHr)</u></a>
<a href="#"><u>50 amps</u></a>	<a href="#"><u>(suitable for battery capacity 264 - 329 ampHr)</u></a>
<a href="#"><u>60 amps</u></a>	<a href="#"><u>(suitable for battery capacity 330 - 395 ampHr)</u></a>
<a href="#"><u>80 amps</u></a>	<a href="#"><u>(suitable for battery capacity 396 - 526 ampHr)</u></a>
<a href="#"><u>100 amps</u></a>	<a href="#"><u>(suitable for battery capacity 527 - 658 ampHr)</u></a>
<a href="#"><u>120 amps</u></a>	<a href="#"><u>(suitable for battery capacity 659 - 789 ampHr)</u></a>
<a href="#"><u>140 amps</u></a>	<a href="#"><u>(suitable for battery capacity 790 - 921 ampHr)</u></a>

Single phase supply

24 volts 10 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

14 kgs

AC current draw:

1.4 amps

Suitable for 24 volt battery with a capacity in the range 60 - 95 ampHr

Part ref 101PM1955

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 15 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

14 kgs

AC current draw:

2.1 amps

Suitable for 24 volt battery with a capacity in the range 96 - 110 ampHr

Part ref 101PM1956

Please contact us for price and availability



[RETURN TO START](#)



Single phase supply

24 volts 20 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

14 kgs

AC current draw:

2.7 amps

Suitable for 24 volt battery with a capacity in the range 11 -132 ampHr

Part ref 101PM1384

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 25 amps

Unit size:

250mm x 200mm x 320mm

Unit weight:

15 kgs

AC current draw:

3.3 amps

Suitable for 24 volt battery with a capacity in the range 133 - 165 ampHr

Part ref 101PM1385

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 30 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

20 kgs

AC current draw:

4.2 amps

Suitable for 24 volt battery with a capacity in the range 166 - 198 ampHr

Part ref 101PM1112

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 40 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

21 kgs

AC current draw:

5.4 amps

Suitable for 24 volt battery with a capacity in the range 199 - 263 ampHr

Part ref 101PM1113

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 50 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

24 kgs

AC current draw:

6.7 amps

Suitable for 24 volt battery with a capacity in the range 264 - 395 ampHr

Part ref 101PM1957

Please contact us for price and availability



Single phase supply

24 volts 60 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

26 kgs

AC current draw:

8.3 amps

Suitable for 24 volt battery with a capacity in the range 330 - 395 ampHr

Part ref 101PM1114

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 80 amps

Unit size:

500mm x 340mm x 360mm

Unit weight:

37 kgs

AC current draw:

10.8 amps

Suitable for 24 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM1958

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 100 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

43 kgs

AC current draw:

13.3 amps

Suitable for 24 volt battery with a capacity in the range 527 - 658 ampHr

Part ref 101PM1959

Please contact us for price and availability



[RETURN TO START](#)



Single phase supply

24 volts 120 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

45 kgs

AC current draw:

16.7 amps

Suitable for 24 volt battery with a capacity in the range 659 - 789 ampHr

Part ref 101PM1960

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

24 volts 140 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

53 kgs

AC current draw:

19.2 amps

Suitable for 24 volt battery with a capacity in the range 790 - 921 ampHr

Part ref 101PM1961

Please contact us for price and availability



[RETURN TO START](#)

**Single phase supply**

Battery voltage **36 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

<a href="#"><u>30 amps</u></a>	<a href="#"><u>(suitable for battery capacity 166 - 198 ampHr)</u></a>
<a href="#"><u>40 amps</u></a>	<a href="#"><u>(suitable for battery capacity 199 - 263 ampHr)</u></a>
<a href="#"><u>50 amps</u></a>	<a href="#"><u>(suitable for battery capacity 264 - 329 ampHr)</u></a>
<a href="#"><u>60 amps</u></a>	<a href="#"><u>(suitable for battery capacity 330 - 395 ampHr)</u></a>
<a href="#"><u>80 amps</u></a>	<a href="#"><u>(suitable for battery capacity 396 - 526 ampHr)</u></a>
<a href="#"><u>100 amps</u></a>	<a href="#"><u>(suitable for battery capacity 527 - 658 ampHr)</u></a>
<a href="#"><u>120 amps</u></a>	<a href="#"><u>(suitable for battery capacity 659 - 789 ampHr)</u></a>

Single phase supply

36 volts 30 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

23 kgs

AC current draw:

6.2 amps

Suitable for 36 volt battery with a capacity in the range 166 - 198 ampHr

Part ref 101PM1962

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

36 volts 40 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

25 kgs

AC current draw:

8.3 amps

Suitable for 36 volt battery with a capacity in the range 199 - 263 ampHr

Part ref 101PM1963

Please contact us for price and availability



[RETURN TO START](#)

Single phase supply

36 volts 50 amps

Unit size:

430mm x 285mm x 270mm

Unit weight:

33 kgs

AC current draw:

10 amps

Suitable for 36 volt battery with a capacity in the range 264 - 395 ampHr

Part ref 101PM1964

Please contact us for price and availability



[RETURN TO START](#)



Single phase supply

36 volts 80 amps

Unit size:

500mm x 340mm x 360mm

Unit weight:

59 kgs

AC current draw:

16.7 amps

Suitable for 36 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM1966

Please contact us for price and availability



[RETURN TO START](#)







TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)





















































TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)





TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)



























TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)

TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)



TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)

TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)







3- phase supply

48 volts 160 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

113 kgs

AC current draw:

16.2 amps / phase

Suitable for 48 volt battery with a capacity in the range 922 - 1052 ampHr

Part ref 101PM2036

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

48 volts 180 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

122 kgs

AC current draw:

18.2 amps / phase

Suitable for 48 volt battery with a capacity in the range 1053 - 1184 ampHr

Part ref 101PM2037

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

48 volts 200 amps

Unit size:

500mm x 4400mm x 800mm

Unit weight:

132 kgs

AC current draw:

20.2 amps / phase

Suitable for 48 volt battery with a capacity in the range 1185 - 1315 ampHr

Part ref 101PM2038

Please contact us for price and availability



[RETURN TO START](#)

### 3- phase supply

Battery voltage **72 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

<a href="#"><u>60 amps</u></a>	<a href="#"><u>(suitable for battery capacity 330 - 395 ampHr)</u></a>
<a href="#"><u>80 amps</u></a>	<a href="#"><u>(suitable for battery capacity 396 - 526 ampHr)</u></a>
<a href="#"><u>100 amps</u></a>	<a href="#"><u>(suitable for battery capacity 527 - 658 ampHr)</u></a>
<a href="#"><u>120 amps</u></a>	<a href="#"><u>(suitable for battery capacity 659 - 789 ampHr)</u></a>
<a href="#"><u>140 amps</u></a>	<a href="#"><u>(suitable for battery capacity 790 - 921 ampHr)</u></a>
<a href="#"><u>160 amps</u></a>	<a href="#"><u>(suitable for battery capacity 922 - 1052 ampHr)</u></a>

3- phase supply

72 volts 60 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

80 kgs

AC current draw:

9.1 amps / phase

Suitable for 72 volt battery with a capacity in the range 330 - 395 ampHr

Part ref 101PM2039

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

72 volts 80 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

88 kgs

AC current draw:

12.0 amps / phase

Suitable for 72 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM2040

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

72 volts 100 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

94 kgs

AC current draw:

15.2 amps / phase

Suitable for 72 volt battery with a capacity in the range 527 - 658 ampHr

Part ref 101PM2041

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

72 volts 120 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

113 kgs

AC current draw:

18.1 amps / phase

Suitable for 72 volt battery with a capacity in the range 659 - 789 ampHr

Part ref 101PM2042

Please contact us for price and availability



[RETURN TO START](#)



3- phase supply

72 volts 140 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

122 kgs

AC current draw:

21.1 amps / phase

Suitable for 72 volt battery with a capacity in the range 790 - 921 ampHr

Part ref 101PM2043

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

72 volts 160 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

131 kgs

AC current draw:

24.0 amps / phase

Suitable for 72 volt battery with a capacity in the range 922 - 1052 ampHr

Part ref 101PM2044

Please contact us for price and availability



[RETURN TO START](#)

### 3- phase supply

Battery voltage **80 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

<a href="#"><u>40 amps</u></a>	<a href="#"><u>(suitable for battery capacity 199 - 263 ampHr)</u></a>
<a href="#"><u>60 amps</u></a>	<a href="#"><u>(suitable for battery capacity 330 - 395 ampHr)</u></a>
<a href="#"><u>80 amps</u></a>	<a href="#"><u>(suitable for battery capacity 396 - 526 ampHr)</u></a>
<a href="#"><u>100 amps</u></a>	<a href="#"><u>(suitable for battery capacity 527 - 658 ampHr)</u></a>
<a href="#"><u>120 amps</u></a>	<a href="#"><u>(suitable for battery capacity 659 - 789 ampHr)</u></a>
<a href="#"><u>140 amps</u></a>	<a href="#"><u>(suitable for battery capacity 790 - 921 ampHr)</u></a>
<a href="#"><u>160 amps</u></a>	<a href="#"><u>(suitable for battery capacity 922 - 1052 ampHr)</u></a>
<a href="#"><u>180 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1053 - 1184 ampHr)</u></a>
<a href="#"><u>200 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1185 - 1315 ampHr)</u></a>
<a href="#"><u>220 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1316 - 1446 ampHr)</u></a>
<a href="#"><u>240 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1447 - 1577 ampHr)</u></a>
<a href="#"><u>260 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1578 - 1708 ampHr)</u></a>
<a href="#"><u>280 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1709 - 1839 ampHr)</u></a>

3- phase supply

80 volts 40 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

66 kgs

AC current draw:

6.6 amps / phase

Suitable for 80 volt battery with a capacity in the range 199 - 263 ampHr

Part ref 101PM2045

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 60 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

81 kgs

AC current draw:

9.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 323 - 395 ampHr

Part ref 101PM1387

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 80 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

93 kgs

AC current draw:

13.3 amps / phase

Suitable for 80 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM1388

Please contact us for price and availability



[RETURN TO START](#)

TEL 01224 783777 FAX 01224 783888 www.forkliftproducts.com sales@forkliftproducts.com

3- phase supply

80 volts 100 amps

Unit size:

500mm x 360mm x 700mm

Unit weight:

105 kgs

AC current draw:

16.6 amps / phase



Suitable for 80 volt battery with a capacity in the range 527 - 658 ampHr

Part ref 101PM1117

Please contact us for price and availability

[RETURN TO START](#)

3- phase supply

80 volts 120 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

117 kgs

AC current draw:

19.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 659 - 789 ampHr

Part ref 101PM2046

Please contact us for price and availability



[RETURN TO START](#)



3- phase supply

80 volts 140 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

124 kgs

AC current draw:

23.3 amps / phase

Suitable for 80 volt battery with a capacity in the range 790 - 921 ampHr

Part ref 101PM2047

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 160 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

129 kgs

AC current draw:

26.6 amps / phase

Suitable for 80 volt battery with a capacity in the range 922 - 1052 ampHr

Part ref 101PM2049

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 180 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

135 kgs

AC current draw:

29.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 1053 - 1184 ampHr

Part ref 101PM2050

Please contact us for price and availability



[RETURN TO START](#)

TEL 01224 783777 FAX 01224 783888 www.forkliftproducts.com sales@forkliftproducts.com

3- phase supply

80 volts 200 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

142 kgs

AC current draw:

31.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 1185 - 1315 ampHr

Part ref 101PM2051

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 220 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

180 kgs

AC current draw:

34.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 1316 - 1446 ampHr

Part ref 101PM2052

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 240 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

185 kgs

AC current draw:

39.9 amps / phase

Suitable for 80 volt battery with a capacity in the range 1447 - 1577 ampHr

Part ref 101PM2053

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 260 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

190 kgs

AC current draw:

43.2 amps / phase

Suitable for 80 volt battery with a capacity in the range 1578 - 1708 ampHr

Part ref 101PM2054

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

80 volts 280 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

195 kgs

AC current draw:

46.5 amps / phase

Suitable for 80 volt battery with a capacity in the range 1709 - 1839 ampHr

Part ref 101PM2055

Please contact us for price and availability



[RETURN TO START](#)

TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)



### 3- phase supply

Battery voltage **96 volts**

Question: what is the.....

charging **current** required OR **battery capacity**

<a href="#"><u>60 amps</u></a>	<a href="#"><u>(suitable for battery capacity 330 - 395 ampHr)</u></a>
<a href="#"><u>80 amps</u></a>	<a href="#"><u>(suitable for battery capacity 396 - 526 ampHr)</u></a>
<a href="#"><u>100 amps</u></a>	<a href="#"><u>(suitable for battery capacity 527 - 658 ampHr)</u></a>
<a href="#"><u>120 amps</u></a>	<a href="#"><u>(suitable for battery capacity 659 - 789 ampHr)</u></a>
<a href="#"><u>140 amps</u></a>	<a href="#"><u>(suitable for battery capacity 790 - 921 ampHr)</u></a>
<a href="#"><u>160 amps</u></a>	<a href="#"><u>(suitable for battery capacity 922 - 1052 ampHr)</u></a>
<a href="#"><u>200 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1185 - 1315 ampHr)</u></a>
<a href="#"><u>240 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1447 - 1577 ampHr)</u></a>
<a href="#"><u>260 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1578 - 1708 ampHr)</u></a>
<a href="#"><u>280 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1709 - 1839 ampHr)</u></a>
<a href="#"><u>320 amps</u></a>	<a href="#"><u>(suitable for battery capacity 1840 - 2140 ampHr)</u></a>

3- phase supply

96 volts 60 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

90 kgs

AC current draw:

12.1 amps / phase

Suitable for 80 volt battery with a capacity in the range 323 - 395 ampHr

Part ref 101PM2056

Please contact us for price and availability



[RETURN TO START](#)

TEL 01224 783777 FAX 01224 783888 www.forkliftproducts.com sales@forkliftproducts.com

3- phase supply

96 volts 80 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

100 kgs

AC current draw:

16.2 amps / phase

Suitable for 80 volt battery with a capacity in the range 396 - 526 ampHr

Part ref 101PM2057

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 100 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

118 kgs

AC current draw:

20.2 amps / phase

Suitable for 80 volt battery with a capacity in the range 527 - 658 ampHr

Part ref 101PM2058

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 120 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

123 kgs

AC current draw:

24.3 amps / phase

Suitable for 80 volt battery with a capacity in the range 659 - 789 ampHr

Part ref 101PM2059

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 140 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

135 kgs

AC current draw:

28.3 amps / phase

Suitable for 80 volt battery with a capacity in the range 790 - 921 ampHr

Part ref 101PM2060

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 160 amps

Unit size:

500mm x 440mm x 800mm

Unit weight:

148 kgs

AC current draw:

32.4 amps / phase

Suitable for 80 volt battery with a capacity in the range 922 - 1052 ampHr

Part ref 101PM2061

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 200 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

180 kgs

AC current draw:

40.5 amps / phase

Suitable for 80 volt battery with a capacity in the range 1185 - 1315 ampHr

Part ref 101PM2062

Please contact us for price and availability



[RETURN TO START](#)



3- phase supply

96 volts 240 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

195 kgs

AC current draw:

48.5 amps / phase

Suitable for 80 volt battery with a capacity in the range 1447 - 1577 ampHr

Part ref 101PM2063

Please contact us for price and availability



[RETURN TO START](#)

TEL 01224 783777 FAX 01224 783888 [www.forkliftproducts.com](http://www.forkliftproducts.com) [sales@forkliftproducts.com](mailto:sales@forkliftproducts.com)

3- phase supply

96 volts 260 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

205 kgs

AC current draw:

52.6 amps / phase

Suitable for 80 volt battery with a capacity in the range 1578 - 1708 ampHr

Part ref 101PM2064

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 280 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

215 kgs

AC current draw:

56.6 amps / phase

Suitable for 80 volt battery with a capacity in the range 1709 - 1839 ampHr

Part ref 101PM2065

Please contact us for price and availability



[RETURN TO START](#)

3- phase supply

96 volts 320 amps

Unit size:

630mm x 500mm x 1050mm

Unit weight:

230 kgs

AC current draw:

64.8 amps / phase

Suitable for 80 volt battery with a capacity in the range 1840 - 2104 ampHr

Part ref 101PM3314

Please contact us for price and availability



[RETURN TO START](#)